

INDUSTRIAL MRO CHEMICALS

CATALOG – 2023



- **PRODUCTS TO MAKE YOUR JOB EASIER**
- **PERFORMANCE YOU CAN DEPEND ON**
- **THE HIGHEST QUALITY GUARANTEED**

WWW.TECHNO-MS.COM
512-551-0923



QUICK FIND INDEX

HVAC MAINTENANCE

Coil Cleaner Eco-Friendly Concentrate – Page 3

Coil Cleaner No-Rinse Aerosol – Page 3

Condensate Drain Cleaner Aerosol– Page 3

CLEANERS - INDUSTRIAL MULTIPURPOSE

Duster and Polish – All Surface – Page 4

Glass Cleaner Non-Ammoniated – Page 4

Metal Cleaner and Polish - Page 4

CLEANERS - HEAVY DUTY DEGREASERS – TRUCK WASH

Equipment Cleaner – Eco-Friendly - Page 5

Floor and Wall Cleaner – Eco-Friendly – Page 5

Lift Station Citrus Degreaser – Eco-Friendly - Page 5

Engine Degreaser – Butyl Concentrate – Page 6

Foam Degreaser Heavy Duty - Aerosol – Page 6

Tar Remover – Heavy Duty Citrus Solvent - Page 6

Truck Chassis Citrus Degreaser – Page 7

Truck Wash and Wash Concentrate – Page 7

Shop Floor Degreaser – Eco-Friendly – Page 7

CLEANERS - IMMERSION & ULTRASONIC TANKS

Parts Washer Solvent – Page 8

Powder Coating Stripper – Page 8

Ultrasonic Solvent - Carbon and Paint Remover – Page 8

DISINFECTANTS – HOSPITAL GRADE

Disinfectant Foam Virucidal Cleaner – Page 9

Disinfectant Spray Broad-Spectrum – Page 9

Disinfecting Wipes – Page 9

ELECTRICAL EQUIPMENT MAINTENANCE

Battery Terminal Cleaner – Page 10

Battery terminal Protector – Page 10

Citrus Solvent 48Kv Non-Conductive – Page 10

Moisture Displacer 30Kv Non-Conductive Lubricant – Page 11

Non-Residual Safety Solvent 36Kv Non-Conductive – Page 11

Switch Gear 39Kv Non-Conductive Lubricant – Page 11

ELECTRONIC EQUIPMENT - MAINTENANCE

Air Duster High Pressure – Non-Flammable – Page 12

Non-Flammable Contact Cleaner – Aerosol– Page 12

Precision Electronics Cleaner Plastics Safe – Page 12

FLUORINATED SOLVENTS – 3M Novec® SUBSTITUTES

Immersion Cooling Solvent – Page 13

Vapor Degreasing & Critical Cleaning Solvent – Page 13

Waterless Fire Suppression Solvent – Page 13

GEAR OIL - HYDRAULIC OIL - DIESEL FUEL ADDITIVES

Gear Oil – Red Universal 85W/140 – Page 14

Hydraulic, Compressor and Turbine Oil 10W/40 – Page 14

Injector Cleaner and Diesel Stabilizer– Page 14

GREASES – HEAVY-DUTY – ALL APPLICATIONS

Anti-Seize High Temp 2200°F – Page 15

Bearing Grease – High Speed NGLI #2 / 550°F – Page 15

Red Hi Impact Grease NLGI #3 / 300°F – Page 15

HAND AND SKIN CARE

Hand Cleaner Solvent-Less with Pumice - Page 16

Hand Cleaner Waterless - Foam – Page 16

Insect Repellent Tough-Duty – Page 16

LUBRICANTS - FOOD GRADE - NSF-H1 RATING

Chain Grease Clear NSF H1 – Page 17

Non-Melt Grease Clear NSF H1 – Page 17

White Multipurpose Grease NSF H1 – Page 17

Dry Silicone Spray Lubricant NSF H1 – Page 18

Food Machinery Oil Spray NSF H1 – Page 18

Nut and Bolt Loosener Spray H1 – Page 18

LUBRICANTS - INDUSTRIAL - MARINE - AGRICULTURAL

Grease for Marine Equipment - Clear - Page 19

Marine 4 Way Penetrant Lubricant – Page 19

Penetrant With Heavy-Duty Freezing Action – Page 19

Teflon Dry Lubricant and Release Agent – Page 20

Open Gear Lubricant with Moly – Page 20

Spindle Grease for Cotton Pickers – Page 20

Chain and Cable Foaming Lube with Moly – Page 21

Anti-Seize Spray Copper Based 1800°F – Page 21

Belt Dressing Resin Base Aerosol – Page 21

METAL WORKING FLUIDS

Coolants for Difficult Machining – Page 22

Drawing and Stamping Fluids – Page 22

Straight Cutting Oils – Page 22

Lay Out Ink and Ink Removers – Page 23

Sump Cleaners for CNC Machines – Page 23

Tapping and Drilling Fluids – Page 23

PAINT REMOVER, PAINTS AND CORROSION CONTROL

Enamel Spray Paint 30% Solids – Page 24

Paint Remover – Page 24

Rust Converter Primer – Page 24

SPECIALTY MAINTENANCE CHEMICALS

Cutting and Tapping Fluid Spray – Page 25

RTV Silicone Gasket Makers 600°F – Page 25

Stainless Steel Epoxy Coating – Page 25

Dirt Road Packing Agent – Page 26

Instant Drain Opener – Page 26

Sewer Solvent – Powdered Alkaline – Page 26

Anti-Spatter Welding Spray – Page 27

Heat Blocking Gel for Welding – Page 27


Hi-Tack Adhesive Spray – Page 27

FACILITY SAFETY STATEMENT:

All products are guaranteed. Manufactured in the USA and Canada and meet rigid quality control standards. Every ingredient used is approved by the U.S. Consumer Product Safety Commission, the U.S. Occupational Safety & Health Administration, or the U.S. Environmental Protection Agency (EPA). Containers are hermetically sealed, tamper-resistant and packed to meet official U.S. Department of Transportation standards. We will work with you to meet your specific standards and specifications.

HVAC MAINTENANCE

COIL CLEANER ECO-FRIENDLY CONCENTRATE




Biodegradable and metal safe formulation designed to penetrate and remove dirt and matted material from industrial equipment, cooling towers, and condensing coils. Formulated with ION-Z agents for faster soil penetration.

COIL CLEANER – NO-RINSING REQUIRED



For evaporator coils. Cuts grease and grime without scrubbing. Deodorizes. Controls mold and mildew. No rinsing required. Virucide, Mildewstat, Fungicide. EPA registered.

CONDENSATE DRAIN OPENER



A natural citrus base product that is designed to clear clogged drains and condensate drain lines. High-pressure spray with 18" tube permits quick penetration to flush algae, slime, hair, and organic matter buildup.


CLEANERS – MULTIPURPOSE

DUSTER AND POLISH – ALL SURFACE



A unique dust-blocking, no wax formula for use directly on surfaces as well as on cloths and mitts. Dusts, polishes, and shines in one simple step. Leaves no waxy build-up. Use on wood, marble, granite, solid synthetic, laminate, plastic, stainless steel, blinds, counters, cabinets, and appliances.

GLASS CLEANER NON-AMMONIATED



A foaming alcohol-based cleaner. Its superior combination of emulsifiers and surfactants gives quick, one step cleaning without streaking. Non-static formula keeps surfaces clean longer. Formulated with rapid wetting agents and surfactants.

METAL CLEANER AND POLISH



USDA authorized non-abrasive metal surface cleaner. Cleans and polishes surfaces to remove grease, oil, grime, stains, and other residues. Leaves a long-lasting protective coating. Will not scratch or score metal surfaces.

CLEANERS AND DEGREASERS – HEAVY DUTY

EQUIPMENT CLEANER – ECO FRIENDLY



A non-toxic heavy duty cleaner and degreaser with cleaning power that in specific applications equals or exceeds many solvent-based products. Highly effective at removing organic soils such as greases, petroleum oils, and fatty oils in a variety of applications. Does not contain substances subject to the reporting requirements of SARA Sections 311/312/313.

FLOOR AND WALL CLEANER – ECO FRIENDLY



A biodegradable, non-toxic cleaner and degreaser with a wide range of applications. Formulated to cut through any grease, dirt, soil, and grime and then lift and suspend the soil. Provides excellent cleaning power for use in the whole facility. Environmentally safe alternative to solvents and hazardous chemicals. Pleasant scent.

LIFT STATION CITRUS DEGREASER



D-limonene based lift station degreaser. It floats on top of the water and cleans and degreases as the water level rises and falls in the lift station. Pleasant citrus fragrance deodorizes while it cleans. Bright orange color easily indicates when product needs to be replaced. For use in lift stations & manholes. Also available in water soluble formulation for facilitating repairs and maintenance.

CLEANERS AND DEGREASERS – HEAVY DUTY

ENGINE DEGREASER – BUTYL CONCENTRATE



Removes: wax, resin, grease, oil, carbon, dye, soot, scum, gum, and ink. Can be used on any hard surface that is not damaged by water. May be used in manual and pressure washing equipment. Dilutions will vary depending on soil accumulation and the nature of the surface.

FOAM DEGREASER HEAVY DUTY - AEROSOL



Fortified with a natural orange citrus solvent (d-limonene) that cleans and deodorizes most surfaces. Simply spray this foaming product and wipe clean. It contains no chlorinated solvents, petroleum distillates or glycol ethers. This product is safe for use on washable painted surfaces. Excellent for removing dirty handprints from walls and doors, scuff marks on floors, crayon and grease spots, soot, and smoke film.

TAR REMOVER – HEAVY DUTY CITRUS SOLV



The safest alternative to using chlorinated solvents for tar removal and degreasing metal surfaces. Heavy flushing action quickly dissolves and removes grease, grime, tar, adhesives, and oil. High pressure spray penetrates, loosens, and lifts soil away. Parts can air dry leaving negligible residue or be rinsed clean with water. Deodorizes as it cleans.

CLEANERS AND DEGREASERS – HEAVY DUTY

TRUCK CHASSIS CLEANER – ECO FRIENDLY



100% concentrated d-Limonene solvent degreaser helps biodegrade grease and oils. Dissolves grease, grime, tar, and road dirt. Penetrates, loosens, and lifts soil away. Rinses clean with water. Deodorizes as it cleans.

TRUCK WASH AND WAX CONCENTRATE - ECO FRIENDLY



Concentrated high-foaming detergent and wax for use on all automobiles, trucks, buses, trailers, and RVs. Washes away dirt and road film without streaking or spotting. Eliminates the need for separate washing and waxing, saving time and labor. Safe on all automotive surfaces. Protects as it cleans. Leaves a brilliant, long-lasting shine. Biodegradable formula.

SHOP FLOOR DEGREASER – ECO-FRIENDLY



A powerful, industrial strength degreaser that powers through grease, oil and dirt and lifts it from the surface to leave a clean, residue free finish. It cleans machinery, tools, floors, and counter tops.

CLEANERS - IMMERSION AND ULTRA SONIC TANKS

PARTS WASHER SOLVENT



Specially formulated water soluble cleaner designed for part washers to be used at ambient temperatures up to 160°F. Will cut oil and sludge from machined parts and provide in process rust protection. A safe alternative to the problem of toxic chemical handling and storage. Wide variety to choose from.

POWDER COATING STRIPPER



Heavy-duty cleaner, degreaser, paint, and gasket remover specially developed for high-temperature operations from 160°F to 180°F. Use to clean and remove powder coating, paint, gaskets and carbon from automotive parts, oilfield equipment, machined parts, industrial machinery, and other difficult-to-clean surfaces.

ULTRASONIC CARBON AND PAINT REMOVING SOLVENT



Powerful, heavy-duty cleaner and degreaser formulated to remove the most difficult soils including baked-on carbon deposits, paint, and gaskets. For use in ultrasonic, high pressure/high temperature immersion cleaning of ferrous and non-ferrous parts. Formulated to cut through any grease, dirt, oil, and grime and then suspend the soil. Wide variety to choose from.


DISINFECTANTS – HOSPITAL GRADE

DISINFECTANT FOAM VIRUCIDAL CLEANER




EPA Registered Virucidal disinfectant. Combines butyl, surfactants, and emulsifiers with a quaternary germicide to provide heavy duty cleaning. Safe for use on all surfaces. Will not harm chrome or metal surfaces. Provides full spectrum disinfection.

DISINFECTANT BROAD SPECTRUM SPRAY



Broad spectrum disinfectant and deodorant for pre-cleaned environmental surfaces and objects previously soiled with blood/body fluids. Contains a blend of powerful phenolic germicides. Controls mildew. Deodorizes areas where foul odors are present.

SURFACE DISINFECTING WIPES



Disposable cloth containing a stable, low pH disinfectant and deodorant for use on hard, non-porous surfaces where control of cross-contamination is required. May be used to preclean or decontaminate medical devices. prior to sterilization.

ELECTRICAL EQUIPMENT MAINTENANCE

BATTERY TERMINAL CLEANER



The battery terminal cleaner eliminates corrosion buildup and provides a residual corrosion preventive. A color indicator assists in detecting leaks. Ideally suited for batteries in trucks, buses, golf carts, forklifts, construction, and agricultural equipment.

BATTERY TERMINAL PROTECTOR



Industrial battery terminal sealer and protector. Ideal for use on battery powered scrubbers, boats, busses, cars, construction equipment, electric fork-lift trucks, golf carts, municipal vehicles, and trucks. Extends battery life, prevents corrosion, and improves electrical output. Remains flexible.

CITRUS SOLVENT – 48Kv NON-CONDUCTIVE CLEANER



Safer way to clean grease, tar, oil, and grime from electrical and mechanical equipment. Contains no chlorinated or fluorinated solvents. For use in environmentally conscious situations where highly toxic products are not suitable. 48,000-volt dielectric strength. Safe on most plastics.

ELECTRICAL EQUIPMENT MAINTENANCE

MOISTURE DISPLACER 30Kv NON-CONDUCTIVE LUBRICANT



Protective shield against the harmful effects of moisture and corrosion. Displaces water and moisture, and seals all surfaces with a molecular insulating film. Non-flammable, non-conductive up to 30 kV. Protects the conductivity of commutators and contacts. Can be used on either dry or wet surfaces.

NON-RESIDUAL 36Kv NON-CONDUCTIVE SOLVENT



Non-flammable, non-conductive, hi-powered solvent. Dissolves grease and rinses dirt and grime without harming working parts. 36,000-volt dielectric strength. For use on electric motors, generators, relays, and control panels while equipment is in operation. Dries fast and residue free.

SWITCHGEAR 39Kv NON-CONDUCTIVE LUBRICANT



This heavy-duty lubricant protects electrical moving parts. Non-flammable and non-conductive up to 39,000 volts. Used on dry or wet surfaces. Insulates the conductivity of commutators and contacts by displacing water and moisture and sealing all surfaces with a molecular insulating shield that never dries.


ELECTRONIC EQUIPMENT MAINTENANCE

AIR DUSTER HIGH PRESSURE NON-FLAMMABLE AEROSOL



Compressed gas spray which is designed for the safe removal of dust and airborne contamination from delicate or inaccessible areas of electrical and electronic equipment that cannot be removed for cleaning. Non-flammable spray can be used at angles up to 60°, for hard-to-reach areas.

CONTACT CLEANER NON-FLAMMABLE AEROSOL



This formula is non-flammable, non-conductive, residue free and safe on most plastics. Cleans grease, oil, dirt, moisture and flux film from circuit boards, motors, relays, ignition switches and other precision equipment. For use on energized equipment.

PRECISION ELECTRONICS CLEANER – PLASTIC SAFE



Fast drying, nonconductive and safe to use on plastics, rubber, and metal. Removes oil, grease, dirt and grime from circuit boards, computers, magnetic tapes, printed circuits, gauges, switches, and relays. Environmentally friendly. This product is flammable. For use on non-energized equipment only

FLUORINATED SOLVENTS - 3M Novec® SUBSTITUTES

IMMERSION COOLING SOLVENT



Solvent specifically designed for immersion cooling applications. Its mixture of physical and chemical properties, paired with preferable environmental properties make it an ideal solution for many needs. Can be used in a variety of applications like data centers with hyper scale, supercomputers, enterprise HPC, Edge 5G, blockchain processing, and EV battery cooling. High boiling point, low pour point and preferable environmental properties.

VAPOR DEGREASING AND CRITICAL CLEANING SOLVENT



A high powered, non-flammable, nonconductive solvent that dissolves grease and rinses away dirt and grime from hard surfaces without injury to working parts. Contains no CFC's. Featuring a 30,000-volt dielectric strength combined with non-flammability makes this an exceptional degreaser safe for use on electric motors, generators, relays, and control panels while equipment is in operation. Dries fast and residue free. No flash point.

WATERLESS FIRE SUPPRESSION SOLVENT FOR DATA CENTERS



Vaporizes quickly when released, ensuring that it does not damage sensitive electronic systems such as data centers or server rooms. Additionally, helps protect irreplaceable paper documents and electronics as it is a waterless fire suppression solution. This product is both non-corrosive and free from any electrical charge. Can be used as a direct substitute for solvents like 3M Novec® 629, 3M Novec® 1230, and others.

GEAR OIL - HYDRAULIC OIL – DIESEL STABILIZER

GEAR OIL – RED UNIVERSAL WATER RESISTANT 85/140



Formulated with an innovative additive package providing outstanding extreme pressure, load carrying, friction reduction, superb thermal and oxidation stability, outstanding water resistance, and demulsibility. Provides superior anti-friction protection, and lower operating temperatures for a longer gear life. Resists water contamination.

HYDRAULIC, COMPRESSOR AND TURBINE OIL – GREEN 10W/40



Green 10W/40 oil. Provides superior service time and performance over multiple operating conditions and temperature ranges. Highly protective against rust, corrosion, and friction. Recommended for hydraulic systems, turbine, and compressors (including reciprocating, sliding vane, and rotary screw), air lines and vacuum pumps.

INJECTOR CLEANER AND DIESEL STABILIZER



A diesel fuel conditioner designed for new low sulfur fuels. Stabilizes fuel, and increases engine life and power, by keeping the internal parts of the engine cleaner, aiding combustion, neutralizing acids, and holding carbon, varnish, and gum in suspension. Injector cleaning: 1 quart to 500 gallons of diesel fuel. Continued engine treatment: 1 quart to 200 gallons of fuel. Fuel tank treatment: 1 quart to 500 gallons.

GREASES – HEAVY-DUTY

ANTI SEIZE GREASE HIGH TEMP 2200°F



Gray-black non-melt lubricant formulated to withstand high temperatures and pressures. This product is effective as an anti-seize compound in extreme temperature conditions that range from -30°F and exceed 2200°F. It can be used as an anti-friction bearing and slide lubricant. It has no known dropping point, and it is insoluble in water.

BEARING GREASE – NON-MELT, HIGH SPEED, HIGH IMPACT NGLI #2 / 550°F



Calcium sulfonate-based formula with oxidation and extreme pressure additives is suitable for centralized lubrication systems. Wide compatibility with other bases. For high speed and extreme pressure duty. Resistant to rust, corrosion, chemical breakdown, and oxidation. Water resistant, resistant to salt water, will not wash out. Temp 550°F / Timken 65.

HIGH IMPACT RED GREASE – NON-MELT NGLI #3 / 300°F



Red non-melting grease with extreme pressure additives. Resistant to shock and impact. Bentone based formula will not liquify at high temperatures. Resists boiling water steam, rust, corrosion, chemical break down and oxidation. Temp 400°F / Timken 70.

HAND AND SKIN CARE

HAND CLEANER WITH PUMICE



An effective industrial hand cleaner that won't destroy your hands. Does not contain solvents. This heavy-duty product contains only natural cleaning agents as well as aloe vera, lanolin and vitamin E to keep hands soft and moisturized through repeated washing. HMIS Rating 000.

HAND CLEANER – WATERLESS FOAM



Waterless hand and Skin Cleaner Foam with lanolin and aloe vera. Removes dirt, ink, paint, grease, carbon, and more from hands and skin without the need for water. Just rub foam in your hands and wipe dry with paper towel or rag. Soothes and restore moisture to dried out skin. Clean scent.

INSECT REPELLENT - TOUGH-DUTY



EPA registered; USDA authorized heavy duty insect repellent. High content of active ingredients to repel mosquitoes, biting flies, chiggers, and ticks. Prevents mosquito bites which may cause diseases like Dengue, Chikungunya, Zika Virus, West Nile Virus, and Encephalitis. Non-oily formula will not stain.

LUBRICANTS - FOOD GRADE - NSF H1 RATING

CHAIN GREASE CLEAR SPRAY NSF H1



Clear, odorless, and tasteless. Foaming grease with synthetic lubricants and mineral oil. Penetrates, lubricates, and protects roller drives and conveyor chains. Rated NSF H1. Temperature Range 0 - 325°F. Tacky formula resists sling-off and water washout. High flash point.

NON-MELT CLEAR GREASE NSF H1 - CARTRIDGES



Non-melt synthetic food grade grease. NSF H1 Rating. Multipurpose formulation containing PTFE is odorless and nearly colorless. Outstanding performance at high and low temperatures and extremely long service life. Extreme pressure, anti-wear, anti-rust, anti-oxidation, and adhesive properties. Drop Point: None

WHITE MULTIPURPOSE GREASE NSF H1 - CARTRIGES



A multi-purpose, high purity food grade grease that withstands heat to 500°F. Temperatures above 400°F may require periodic reapplication. For use by bottlers, breweries, canneries, dairies, pharmaceutical manufacturers and food processing and packaging plants. NSF rated H1.

LUBRICANTS - FOOD GRADE - NSF H1 RATING

DRY SILICONE LUBRICANT SPRAY NSF H1



Dry Silicone Spray designed to lubricate equipment used in the production, packaging, and processing industry. Non-staining, dry, pure silicone film lubricates moving parts, reducing friction and wear. NSF H-1. Heat stable from -35°F to 300°F. Also formulated as a release agent on seals and gaskets of tank closures. Safe on all plastics.

FOOD MACHINERY OIL SPRAY NSF H1



A lubricant made up of USP liquid petrolatum and propellant, providing a sanitary means of lubricating dairy, bottling and food processing equipment. For slides, pistons, and seals. Complies with FDA regulations, CFR Title 21, paragraphs 172.878 and 173.3620. Non-toxic, odorless, and tasteless, contains no silicone. NSF approved H1.

NUT AND BOLT LOOSENER SPRAY NSF H1



Food Grade Penetrating oil safe on all metal surfaces and most plastics. Provides high-performance penetrating lubrication while maintaining food-grade integrity. A high content of rust inhibitors makes this product an excellent NSF H1 spray-down oil to help eliminate and prevent rust after pressure washing or steam cleaning equipment.

LUBRICANTS – INDUSTRIAL - MARINE

CLEAR GREASE FOR MARINE EQUIPMENT



Special marine colorless grease formulated to dispense as an oil-like lubricant, penetrate and then set up as a viscous, high impact grease. Contains PTFE. Penetrates rust, corrosion, and soil. Provides clean and excellent lubrication to gears, chains, cable, slides, and turning parts. Resistant to marine water contamination.

MARINE FOUR WAY LUBRICANT PROTECTANT



Powerful, shield against moisture and corrosion. Protects electrical gear, metal, and other surfaces from deterioration. Displaces water and moisture, sealing all surfaces with a complete molecular film. Lubricates, never becomes dry, brittle, or hard. Protects the conductivity of commutators and contacts. Use on either dry or wet surfaces.

PENETRANT WITH HEAVY-DUTY FREEZING ACTION



Combines rapid freezing and a special penetrating ingredient to easily loosen bound parts. Shrinks parts, creating openings to allow the lubricant to penetrate and release. Non-Conductive, non-chlorinated. For: machine shops, oil rigs, manufacturing, farms, dairies, aviation, marine and injection molding applications.

LUBRICANTS – INDUSTRIAL - AGRICULTURAL

DRY TEFLON LUBRICANT AND RELEASE AGENT



High grade multiple use lubricant and release agent that has excellent microscopic film forming properties. Resistant to most elements and will not wash off. Non-oily, non-staining repels dust and dirt. Lubricates Metal, Wood, Glass, Plastic and Paper. Temperature ranges from 0°F to 450° F.

OPEN GEAR LUBRICANT WITH MOLY



This thick, tacky fluid stays on the gear where it is needed and has excellent stretching characteristics that allow surfaces to be completely covered with lubricant. Extends the life of machinery, reduces down time, and maintenance. It is effective in temperatures up to 175° F plus.

SPINDLE GREASE FOR COTTON PICKERS



Extreme temperature grease. The base oils are combined with a lithium soap complex that resists caking on the picker bars which can prevent proper lubrication of the picking assembly. Formulated with an additive package that includes anti-wear additives and rust inhibitors.

LUBRICANTS – INDUSTRIAL

ANTI-SEIZE SPRAY HIGH-TEMP 1800°F



Synthetic copper-based anti-seize lubricant formulated to withstand high temperatures up to 1800°F, and extreme pressures. Provides better ground conductivity than ordinary lubricants. Corrosion and rust inhibitors seal out moisture, gases, and corrosive fluids to assure long life of bolted connectors.

BELT DRESSING - RESIN BASED



Resin based spray designed to increase power and performance by reducing slippage of all types of power belts including round, flat or V. Compatible with fabric, leather, or rubber belts. Helps clean and prolong life of belts. Reduces downtime. Works indoors or outdoors, even in wet conditions.

CHAIN AND CABLE FOAMING LUBRICANT SPRAY WITH MOLY



Penetrates deep into roller-pin lubrication spots and strands of wire to provide the ultimate in lubrication with molybdenum disulfide. Will not build up to attract dust or dirt. Provides complete lubrication of rollers, pins, and bushings. Continued use reduces chain whip, vibration, and noise. Protects against galling, seizing and wear.

METAL WORKING FLUIDS

COOLANTS FOR DIFFICULT MACHINING



High lubricity, heavy-duty synthetic coolants designed for the most difficult machining applications. Fortified with a blend of high viscosity polymers with excellent lubricity at the tool/chip interface, and little carry off on parts. Extremely clean runs, with superior oil rejecting capabilities and very low foaming.

DRAWING AND STAMPING FLUIDS



Synthetic drawing and stamping fluids designed to be used in a wide range of applications and severities. Providing excellent extreme pressure lubricity without the use of chlorinated or sulfurized additives. Recommended for drawing, stamping, punching, bending, and forming. Wide variety.

STRAIGHT CUTTING OILS



Synthetic, light viscosity cutting and grinding oils. Its unique fatty acid composition provides natural and extended product stability. Excellent for use in grinding, machining, and sawing. Biodegradable products that do not contain petroleum oil, chlorine, or sulphur. Wide variety.

METAL WORKING FLUIDS

LAYOUT INK AND INK REMOVERS




Provides a smooth, dark, non-glare coating to metal surfaces. Dries quickly and uniformly for creating highly visible, precision scribe lines and cutting surfaces. The ink is easily removed with the layout Ink remover as well as adhesives, thin paints, and lacquer.

SUMP CLEANING SOLVENTS FOR CNC MACHINES



Premium water-soluble CNC machine tool sump cleaner degreasers. Will cut oil and sludge and remove bacteria and fungus found in the machine sump and coolant lines. Designed to make the tough job of cleaning a machine tool easier and for allowing the coolant to perform with maximum effectiveness. With corrosion inhibitors to provide in process rust protection.

TAPPING AND DRILLING FLUIDS



Heavy-duty fluids fortified with extreme pressure additives for use on difficult machining of nonferrous materials including aluminum and titanium. Significantly increases tool and die life and greatly reduces wear. For high-speed cutting, tapping, drilling, reaming, and sawing on non-ferrous metals.

PAINTS AND CORROSION CONTROL

ENAMEL SPRAY PAINT 30% SOLIDS



The most advanced high solids (30%), VOC compliant coating in the industry. Four times the coverage of standard aerosol spray paint. Lead-free industrial coating formulated for maintenance operations. Protects against rust, weather, oil, gasoline, and most corrosive chemicals. Heat resistant up to 300°F. Available in black and white.

PAINT REMOVER – EPA COMPLIANT – GEL BASED



EPA Compliant gel-based paint remover. Removes paint, lacquer, shellac, enamel, varnish, labels, carbon deposits, silicone, simulated wood paneling and similar materials from all surfaces. Gel-based formula clings to vertical surfaces, allowing longer contact time, simply spray on and wipe or rinse.


RUST CONVERTER PRIMER COATING



Chemically converts the rust to an inert black polymer-based coating that prevents future rust from forming. Some brushing may be required to remove loose rust flakes. Once treated, surface may be left unpainted or may be painted for improved appearance and protection. Leaves a strong polymeric coating.

SPECIALTY MAINTENANCE

CUTTING AND TAPPING FLUID - AEROSOL



Combines synthetic and natural lubricants for maximum high pressure lubrication which will increase the cutting rate without overheating. The foaming oil clings to all cutting tools to prevent waste and over spraying. Use on all cutting, punching, sawing, tapping, grinding, boring and machining tools to increase the cutting rate without overheating.

RTV SILICONE GASKET MAKER – AEROSOL (WHITE, CLEAR, BLACK, RED)



Industrial strength low volatile gasket sealing compound. Instant gasket maker with excellent adhesive characteristics and high chemical resistance. Will not sag or shrink. Unaffected by chemical deterioration, extreme weather, temperature, or aging. Meets OEM specifications. Safe on oxygen sensor equipped vehicles. Waterproof & weatherproof. Flexible from -60°F to 600°F. Comes in: White, Clear, Black, and Red.

STAINLESS STEEL EPOXY COATING



316L Stainless steel chemical resistant paint. Tough, high temperature epoxy coating made with pure stainless-steel flakes and a highly resistant resin. Protects from temperature fluctuations, harsh chemical environments, severe weather, and abrasion. Provides a smooth, high gloss, stainless steel finish. Protects up to 400°F. Resists acids, alkalis, and chemical deterioration.

SPECIALTY MAINTENANCE

DUST CONTROL AND DIRT ROAD PACKING AGENT



Road hardener and stabilizer that helps control erosion and dust in parking areas, equipment yards and other unpaved areas. It helps to eliminate potholes and keeps work areas dust free. Odorless, colorless solvent liquid. This silicate-based, non-acid formula ensures the stability of roads. Use on unpaved roads, gravel and dirt, work areas, construction sites, parking lots, trails, and pathways, new or renovated roads. Dilutes 1:1000

INSTANT DRAIN OPENER



Saponifies and eradicates obstructions caused by grease, hair, soap, and other organic matter. Will not harm most plumbing, fixtures, or pipes. Safe for septic tanks, PVC pipes and metal pipes when used as directed. Odorless and fumeless. Excellent to use for stoppages caused by grease build-up. For use in sinks, tubs, and showers.

SEWER SOLVENT – POWDERED ALKALINE – NON-EXPLOSIVE



Reacts quickly to dissolve grease and organic build-up. Strong alkaline formula heats rapidly and stays hot to burn through clogs. This red powder has encapsulated exothermic action that unclogs and maintains sewer lines in municipal systems and industrial plants. Highly synergized. Non-explosive.

SPECIALTY MAINTENANCE

ANTI-SPATTER WELDING SPRAY



Non-flammable anti-spatter compound that prevents the sticking of slag and spatter on metal surfaces. Contains no silicone which can weaken welds and prevent paint from adhering to welded surfaces. Prolongs the life of welding parts and equipment. Use it to improve welding quality and to keep MIG gun nozzles and tips from spatter fouling.

HEAT SHIELDING GEL



This heat shielding gel is a heat sink especially designed for brazing. Protects valves, controls, and surrounding areas from heat damage. Simply spray on surrounding areas or completely encircle copper tubing to prevent heat transfer. Clear gel stays where sprayed then evaporates. Non-toxic, odorless, will not harm skin.

HIGH TACK ADHESIVE SPRAY– AEROSOL



HI TACK Adhesive Spray is a pressure sensitive, high solids adhesive providing either temporary or permanent bonds. Utilizes a webbing type spray pattern that is water white. Does not contain Methylene Chloride. Adheres to metals, laminates, fiberboard, plywood, and glass. Used on HVAC insulation, asbestos abatement, automotive, cabinetry, and signage. Used to reseal headliner, carpeting, upholstery to door panels and trunk seals.